



Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <u>https://www.ul.com/about/locations</u>.

Switches, Industrial Control Certified for Canada - Component

COMPANY

RELPOL S A UL 11 LISTOPADA 37 ZARY, 68-200 Poland

E105728

Marking: Company name or trademark **PRPD**, model designation, and the Recognized Component Mark for Canada

Note: For additional marking information, refer to the Guide Information Page.

View model for additional information

Accessory: relay sockets, Model(s): GS4, GZS80, GZS92

Industrial control switches, Model(s): PI6-1P-115VAC, PI6-1P-115VAC/DC, PI6-1P-115VDC, PI6-1P-12VAC, PI6-1P-12VAC/DC, PI6-1P-12VAC/DC, PI6-1P-230VAC/DC, PI6-1P-230VAC/DC, PI6-1P-230VAC/DC, PI6-1P-230VAC/DC, PI6-1P-230VAC/DC, PI6-1P-24VAC, PI6-1P-24VAC, PI6-1P-24VAC/DC, PI6-1P-2

Industrial control switches, Model(s): PI6 Followed by 1P, followed by 12, 24, 36, 42, 115, 230 followed by VAC, VDC or VAC/DC.

| Industrial Control Switches, Model(s): <u>R30-3011-85-1012, R30-3011-85-1024, R30-3021-85-1012</u> , <u>R30-3021-85-1024</u> , <u>R35A-</u> |
|---|
| <u>3021-25-1005, R35A-3021-25-1006, R35A-3021-25-1009, R35A-3021-25-1012, R35A-3021-25-1018, R35A-3021-25-1024, R35A-</u> |
| <u>3021-35-1005, R35A-3021-35-1006, R35A-3021-35-1009, R35A-3021-35-1012, R35A-3021-35-1018, R35A-3021-35-1024, R35A-</u> |
| 7021-25-1005, R35A-7021-25-1006, R35A-7021-25-1009, R35A-7021-25-1012, R35A-7021-25-1018, R35A-7021-25-1024, R35A- |
| 7021-35-1005, R35A-7021-35-1006, R35A-7021-35-1009, R35A-7021-35-1012, R35A-7021-35-1018, R35A-7021-35-1024, R45A- |
| <u>3021-25-1005, R45A-3021-25-1006, R45A-3021-25-1009, R45A-3021-25-1012, R45A-3021-25-1018, R45A-3021-25-1024, R45A-</u> |
| <u>3021-35-1005</u> , <u>R45A-3021-35-1006</u> , <u>R45A-3021-35-1009</u> , <u>R45A-3021-35-1012</u> , <u>R45A-3021-35-1018</u> , <u>R45A-3021-35-1024</u> , <u>R45A-</u> |
| <u>7021-25-1005</u> , <u>R45A-7021-25-1006</u> , <u>R45A-7021-25-1009</u> , <u>R45A-7021-25-1012</u> , <u>R45A-7021-25-1018</u> , <u>R45A-7021-25-1024</u> , <u>R45A-</u> |
| <u>7021-35-1005</u> , <u>R45A-7021-35-1006</u> , <u>R45A-7021-35-1009</u> , <u>R45A-7021-35-1012</u> , <u>R45A-7021-35-1018</u> , <u>R45A-7021-35-1024</u> , <u>R50A-</u> |
| <u>3021-25-1005, R50A-3021-25-1006, R50A-3021-25-1009, R50A-3021-25-1012, R50A-3021-25-1018, R50A-3021-25-1024, R50A-</u> |
| <u>3021-35-1005, R50A-3021-35-1006, R50A-3021-35-1009, R50A-3021-35-1012, R50A-3021-35-1018, R50A-3021-35-1024, R50A-</u> |
| <u>7021-25-1005, R50A-7021-25-1006, R50A-7021-25-1009, R50A-7021-25-1012, R50A-7021-25-1018, R50A-7021-25-1024, R50A-</u> |
| <u>7021-35-1005, R50A-7021-35-1006, R50A-7021-35-1009, R50A-7021-35-1012, R50A-7021-35-1018, R50A-7021-35-1024, R55A-</u> |
| <u>3021-25-1005, R55A-3021-25-1006, R55A-3021-25-1009, R55A-3021-25-1012, R55A-3021-25-1018, R55A-3021-35-1005, R55A-</u> |
| <u>3021-35-1006</u> , <u>R55A-3021-35-1009</u> , <u>R55A-3021-35-1012</u> , <u>R55A-3021-35-1018</u> , <u>R55A-3021-35-1024</u> , <u>R55A-7021-25-1005</u> , <u>R55A-</u> |
| <u>7021-25-1006</u> , <u>R55A-7021-25-1009</u> , <u>R55A-7021-25-1012</u> , <u>R55A-7021-25-1018</u> , <u>R55A-7021-25-1024</u> , <u>R55A-7021-35-1005</u> , <u>R55A-</u> |
| <u>7021-35-1006</u> , <u>R55A-7021-35-1009</u> , <u>R55A-7021-35-1012</u> , <u>R55A-7021-35-1018</u> , <u>R55A-7021-35-1024</u> , <u>R75A-2021-25-1012</u> , <u>R75A-</u> |
| <u>2021-25-1024</u> , <u>R75A-3021-25-1012</u> , <u>R75A-3021-25-1024</u> , <u>R90A-2021-25-1012</u> , <u>R90A-2021-25-1024</u> , <u>R90A-3021-25-1012</u> , <u>R90A-</u> |
| <u>3021-25-1024</u> , <u>RM12N-2011-25-1005</u> , <u>RM12N-2011-25-1006</u> , <u>RM12N-2011-25-1009</u> , <u>RM12N-2011-25-1012</u> , <u>RM12N-2011-25-</u> |
| <u>1018</u> , <u>RM12N-2011-25-1024</u> , <u>RM12N-2011-25-1048</u> , <u>RM12N-2011-35-1005</u> , <u>RM12N-2011-35-1006</u> , <u>RM12N-2011-35-1009</u> , |
| <u>RM12N-2011-35-1012, RM12N-2011-35-1018, RM12N-2011-35-1024, RM12N-2011-35-1048, RM12N-2021-25-1005, RM12N-</u> |
| <u>2021-25-1006</u> , <u>RM12N-2021-25-1009</u> , <u>RM12N-2021-25-1012</u> , <u>RM12N-2021-25-1018</u> , <u>RM12N-2021-25-1024</u> , <u>RM12N-2021-25-</u> |
| <u>1048</u> , <u>RM12N-2021-35-1005</u> , <u>RM12N-2021-35-1006</u> , <u>RM12N-2021-35-1009</u> , <u>RM12N-2021-35-1012</u> , <u>RM12N-2021-35-1018</u> , |
| <u>RM12N-2021-35-1024</u> , <u>RM12N-2021-35-1048</u> , <u>RM12N-2211-25-1005</u> , <u>RM12N-2211-25-1006</u> , <u>RM12N-2211-25-1009</u> , <u>RM12N-</u> |

NRNT8.E105728 - Switches, Industrial Control Certified for Canada - Component | UL Product iQ

2211-25-1012, RM12N-2211-25-1018, RM12N-2211-25-1024, RM12N-2211-25-1048, RM12N-2211-35-1005, RM12N-2211-35-1006, RM12N-2211-35-1009, RM12N-2211-35-1012, RM12N-2211-35-1018, RM12N-2211-35-1024, RM12N-2211-35-1048, RM12N-2221-25-1005, RM12N-2221-25-1006, RM12N-2221-25-1009, RM12N-2221-25-1012, RM12N-2221-25-1018, RM12N-2221-25-1024, RM12N-2221-25-1048, RM12N-2221-35-1005, RM12N-2221-35-1006, RM12N-2221-35-1009, RM12N-2221-35-1012, RM12N-2221-35-1018, RM12N-2221-35-1024, RM12N-2221-35-1048, RM12N-3011-25-1005, RM12N-3011-25-1006, RM12N-3011-25-1009, RM12N-3011-25-1012, RM12N-3011-25-1018, RM12N-3011-25-1024, RM12N-3011-25-1048, RM12N-3011-35-1005, RM12N-3011-35-1006, RM12N-3011-35-1009, RM12N-3011-35-1012, RM12N-3011-35-1018, RM12N-3011-35-1024, RM12N-3011-35-1048, RM12N-3021-25-1005, RM12N-3021-25-1006, RM12N-3021-25-1009, RM12N-3021-25-1012, RM12N-3021-25-1018, RM12N-3021-25-1024, RM12N-3021-25-1048, RM12N-3021-35-1005, RM12N-3021-35-1006, RM12N-3021-35-1009, RM12N-3021-35-1012, RM12N-3021-35-1018, RM12N-3021-35-1024, RM12N-3021-35-1048, RM12N-3211-25-1005, RM12N-3211-25-1006, RM12N-3211-25-1009, RM12N-3211-25-1012, RM12N-3211-25-1018, RM12N-3211-25-1024, RM12N-3211-25-1048, RM12N-3211-35-1005, RM12N-3211-35-1006, RM12N-3211-35-1009, RM12N-3211-35-1012, RM12N-3211-35-1018, RM12N-3211-35-1024, RM12N-3211-35-1048, RM12N-3221-25-1005, RM12N-3221-25-1006, RM12N-3221-25-1009, RM12N-3221-25-1012, RM12N-3221-25-1018, RM12N-3221-25-1024, RM12N-3221-25-1048, RM12N-3221-35-1005, RM12N-3221-35-1006, RM12N-3221-35-1009, RM12N-3221-35-1012, RM12N-3221-35-1018, RM12N-3221-35-1024, RM12N-3221-35-1048, RM40-2011-85-1003-XXX, RM40-2011-85-1005-XXX, RM40-2011-85-1006-XXX, RM40-2011-85-1009-XXX, RM40-2011-85-1012-XXX, RM40-2011-85-1024-XXX, RM40-2011-85-1048-XXX, RM40-2211-85-1003-XXX, RM40-2211-85-1005-XXX, RM40-2211-85-1006-XXX, RM40-2211-85-1009-XXX, RM40-2211-85-1012-XXX, RM40-2211-85-1024-XXX, RM40-2211-85-1048-XXX, RM40-3021-85-1003-XXX, RM40-3021-85-1005-XXX, RM40-3021-85-1006-XXX, RM40-3021-85-1009-XXX, RM40-3021-85-1012-XXX, RM40-3021-85-1024-XXX, RM40-3021-85-1048-XXX, RM40B-2011-85-1003, RM40B-2011-85-1005, RM40B-2011-85-1006, RM40B-2011-85-1009, RM40B-2011-85-1012, RM40B-2011-85-1024, RM40B-2011-85-1048, RM40B-2021-85-1003, RM40B-2021-85-1005, RM40B-2021-85-1006, RM40B-2021-85-1009, RM40B-2021-85-1012, RM40B-2021-85-1024, RM40B-2021-85-1048, RM40B-3011-85-1003, RM40B-3011-85-1005, RM40B-3011-85-1006, RM40B-3011-85-1009, RM40B-3011-85-1012, RM40B-3011-85-1024, RM40B-3011-85-1048, RM40B-3021-85-1003, RM40B-3021-85-1005, RM40B-3021-85-1006, RM40B-3021-85-1009, RM40B-3021-85-1012, RM40B-3021-85-1024, RM40B-3021-85-1048, RM50N-30118510XX, RSM954, RSM954N-0111-85-1003, RSM954N-0111-85-1005, RSM954N-0111-85-1006, RSM954N-0111-85-1009, RSM954N-0111-85-1012, RSM954N-0111-85-1024, RSR20 Series, RSR25-24D5-12S, RSR25-24D5-24, RSR25-24D5-24S, RSR25-24D5R-24S, RSR25-48D5-12S, RSR25-48D5-24, RSR25-48D5-245, RSR25-48D5R-245, RSR30 Series, RSR32-24D2-12M, RSR32-24D2-24M, RSR32-24D2-48M, RSR32-24D2-5M, <u>RSR32-24D2-60M</u>, <u>RSR32-24D2R-12M</u>, <u>RSR32-24D2R-24M</u>, <u>RSR32-24D2R-48M</u>, <u>RSR32-24D2R-5M</u>, <u>RSR32-24D2R-60M</u>, <u>RSR35-</u> 24D4-12M, RSR35-24D4-24M, RSR35-24D4-48M, RSR35-24D4-5M, RSR35-24D4-60M, RSR35-48D01-12M, RSR35-48D01-24M, <u>RSR35-48D01-48M</u>, <u>RSR35-48D01-5M</u>, <u>RSR35-48D01-60M</u>, <u>RSR35-48D3-12M</u>, <u>RSR35-48D3-24M</u>, <u>RSR35-48D3-48M</u>, <u>RSR35-48D3-</u> 5M, RSR35-48D3-60M, RSR40 Series, RSR45-38D10, RSR45-38D10-A, RSR45-38D10-R, RSR45-38D10-RA, RSR45-38D16, RSR45-38D16-A, RSR45-38D16-R, RSR45-38D16-RA, RSR45-38D25, RSR45-38D25-A, RSR45-38D25-R, RSR45-38D25-RA, RSR50 Series, RSR60 Series, RSR62-48A25, RSR62-48A40, RSR62-48A60, RSR62-48A80, RSR62-48D25, RSR62-48D25R, RSR62-48D40, RSR62-<u>48D40R</u>, <u>RSR62-48D60</u>, <u>RSR62-48D60R</u>, <u>RSR62-48D80</u>, <u>RSR62-48D80R</u>, <u>RSR62-60A25</u>, <u>RSR62-60A40</u>, <u>RSR62-60A60</u>, <u>RSR62-60A60</u>, <u>RSR62-60A80</u>, RSR62-60D25, RSR62-60D25-R, RSR62-60D40, RSR62-60D40-R, RSR62-60D60, RSR62-60D60-R, RSR62-60D80, RSR62-60D80-R, RSR85-24D3-12, RSR85-24D3-24, RSR85-24D3-5, RSR85-24D3R-12, RSR85-24D3R-24, RSR85-24D3R-5, RSR85-38D3-12, RSR85-38D3-24, RSR85-38D3-5

Industrial Control Switches, Model(s): <u>R15</u> followed by 05, 10, 11, 12, 13 or 14, followed by 12, 13 or 14, followed by 2, followed by 3, followed by 1, 3 or 5, followed by 006 thru 240 incl., may be followed by W, may be followed by L, may be followed by N, may be followed by K, may be followed by D, may be followed by S, may be followed by T

Industrial Control Switches, Model(s): <u>R2</u> followed by 10, 11, 20, 21 or 23, followed by 12, followed by 2, followed by 3, 5, 7 or 9, followed by 1, 3, 5 or P, followed by 006 thru 240, followed by D, K, L, P, T or W, may be followed by any combination of letters D, K, L, P, T or W for use with relay sockets Model G4/2

Industrial Control Switches, Model(s): <u>R2M</u> followed by 20 or 21, followed by 12, followed by 2, followed by 3 or 5, followed by 1 or 5, followed by 006 to 240, may be followed by L or D

Industrial Control Switches, Model(s): <u>R4</u> followed by 10, 20, 21, 22, 23 or 30 followed by 12 or 14, followed by 2, followed by 3, 5 or 9, followed by 1, 3, 5 or P, followed by 005-240, may be followed by D, K, L, P, T or W, may be followed by any combination of letters D, K, L, T or W

Industrial Control Switches, Model(s): <u>RM50-3011-85-1003-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3011-85-1005-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3011-85-1006-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3011-85-1009-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3011-85-1012-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3011-85-1018-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3011-85-1024-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3011-85-1048-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3021-85-1003-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3021-85-1005-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3021-85-1006-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3021-85-1009-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3021-85-1012-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3021-85-1018-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3021-85-1024-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM50-3021-85-1048-XX</u> where XX may be followed by additional letters and/or numbers (does not affect the construction)

Industrial Control Switches, Model(s): <u>RM83</u> followed by 10, 11 or 30, followed by 11, 12, 21 or 31, followed by 2 or 3, followed by 5, followed by 005, 006, 009, 012, 018, 024, 036, 048, 060 or 110.

Industrial Control Switches, Model(s): <u>RM84 followed by 20, 23 or 30</u> followed by 12 or 22, followed by 2 or 3, followed by 5 or M, followed by 1 or 5, followed by 003 to 110 or 012 -240, may be followed by 1.

Industrial Control Switches, Model(s): <u>RM85</u> followed by 10, 20, 23 or 30, followed by 11 or 21 or 51, followed by 2 or 3, followed by 5 or M, followed by 1 or 5, followed by 003 to 110 or 012 -240, may be followed by 1.

Industrial Control Switches, Model(s): <u>RM85 (inrush version)</u> followed by 50, followed by 21, followed by 2, followed by 5, followed by 003-110.

Industrial Control Switches, Model(s): <u>RM85 (sensitive version)</u> followed by 20, 23, 30 or 50 followed by 21 followed by 2 followed by 5 followed by 005-048.

Industrial Control Switches, Model(s): <u>RM85 faston</u> followed by V or H, followed by 7, followed by 30, followed by 21 followed by 2 followed by 0, followed by 0, followed by 005-048.

Industrial Control Switches, Model(s): <u>RM87</u> followed by N, P or L, followed by 20 or 23 or 30 followed by 11 or 21 followed by 2 or 3 followed by 5 or M followed by 1 or 5 followed by 003-110, or 012-240, may be followed by 01.

Industrial Control Switches, Model(s): <u>RM87N (sensitive version)</u> followed by 20, 23 or 30 followed by 11 or 21 followed by 2 or 3 followed by 5 followed by 005-048.

NRNT8.E105728 - Switches, Industrial Control Certified for Canada - Component | UL Product iQ

Industrial Control Switches, Model(s): RM96 followed by P, Z or R, followed by 5 through 48, followed by W.

Industrial Control Switches, Model(s): <u>RSM822-6112-85</u> followed by 1 or S, followed by 3-48VDC.

Industrial Control Switches, Model(s): <u>RSM850</u> may be f/b B, f/b 3VDC, 5VDC, 6VDC, 9VDC, 12VDC or 24VDC, maybe f/b additional numbers and letter for customer code

Industrial Control Switches, Model(s): <u>RSM957-0111-85-S0XX</u> where XX = Coil Voltage: 03 - 3 V dc, 05 - 5 V dc, 06 - 6 V dc, 09 - 9 V dc, 12 - 12 V dc, 24 - 24 V dc

Industrial Control Switches, Model(s): <u>RUC</u> followed by 10, 11, 20, 21 or 30, followed by 51, 52 or 53, followed by 2, 4, H, or V followed by 5, 6, or A followed by W, 1, 3 or 5, followed by 006 through 240 may be followed by K, L, KL, or D.

Industrial Control Switches, Model(s): <u>RUC-M</u> followed by 10, 20 or 30, followed by 51 or 52, followed by 2, 4, H, or V followed by 6, followed by W or 5, followed by 012 through 240 may be followed by L.

Industrial Control Switches, Model(s): <u>Series R15...WT, R15</u> followed by 20, 21, 23 or 24, followed by 12 or 13, followed by 2, followed by 3, followed by 1, 3, 5 or P, followed by 006 thru 240, may be followed by W, may be followed by T, may be followed by any combination of D, L, N, P or V

Industrial Control Switches, Model(s): <u>Series R3</u> followed by 20, 21 or 23, followed by 13, followed by2followed by3followed by 1, 3, 5 or P, followed by 006 to 240 may be followed by any combination of letters D, L, P, T or W

Industrial Control Switches, Model(s): <u>Series RUC</u> followed by 10, 11, 20, 21 or 30, followed by 12, 22, 13 or 23, followed by 2, 4, H, or V followed by 5, 6, or A followed by 1, 3 or 5, followed by 006 through 240 may be followed by K, L, KL, or D.

Industrial Control Switches, Model(s): <u>Series RY2</u> followed by 10 or 20, followed by 12, followed by 2 or 4, followed by 5 or 6, followed by 1, 3 or 5, followed by 005 (5 VDC) through 220 (220 VDC) or 006 (6 VAC) through 240 (240 VAC), may be followed by any combination of letters W, K, L, or D.

Industrial Control Switches, Relay, Model(s): <u>Series R2N, R3N, R4N</u> followed by 20, 21, 23, followed by 12, 13 or 14, followed by 2 or 3, followed by 3, followed by 1 or 5, followed by 006, 012, 024, 048, 060, 100, 110, 115, 120, 125, 200, 220, 230 or 240 may be followed by any combination of letters W, T, L, D or V.

Industrial Control Switches, Solid State Relays, Model(s): <u>RSR75-24D15-H</u>, <u>RSR75-24D25-H</u>, <u>RSR75-24D50-H</u>, <u>RSR75-60D25-H</u>, <u>RSR75-60D50-H</u>, <u>RSR75-60D75-H</u>

Open type, Industrial, Electromechanical switches, Model(s): <u>RM699B</u> Followed by V or H, followed by 20, 22,30 or 32, followed by 11 or 21, followed by 8, followed by 5, followed by 1, followed by 005, 0012, 024, 048 or 060.

Open type, Industrial, Solid state switches, Model(s): <u>RSR72-24D10-H</u>, <u>RSR72-24D20-H</u>, <u>RSR72-24D20-RH</u>, <u>RSR72-24D30-H</u>, <u>RSR72-24D30-RH</u>, <u>RSR72-24D40-R</u>, <u>RSR72-24D40-R</u>, <u>RSR72-24D50-R</u>, <u>RSR72-24D75-H</u>, <u>RSR72-24D75-H</u>, <u>RSR72-24D75-R</u>, <u>RSR72-24D75-R</u>, <u>RSR72-28A10-H</u>, <u>RSR72-28A20-H</u>, <u>RSR72-28A30-H</u>, <u>RSR72-28A30-H</u>, <u>RSR72-28A30-H</u>, <u>RSR72-48A30-H</u>, <u>RSR72-48A40-H</u>, <u>RSR72-48A50-H</u>, <u>RSR72-48A50-H</u>, <u>RSR72-48D10-H</u>, <u>RSR72-48D10-R</u>, <u>RSR72-48D10-R</u>, <u>RSR72-48D10-R</u>, <u>RSR72-48D20-R</u>, <u>RSR72-48D30-R</u>, <u>RSR72-48D30-R</u>, <u>RSR72-48D40-R</u>, <u>RSR72-48D40-R</u>, <u>RSR72-48D50-H</u>, <u>RSR72-48D50-R</u>, <u>RSR72-48D50-R</u>, <u>RSR72-48D75-R</u>, <u>RSR72-48D75-R</u>,

Relays, Model(s): <u>RSM957N</u> f/b 3VDC, 5VDC, 6VDC, 9VDC, 12VDC or 24VDC, maybe f/b additional numbers and letter for customer code

Sockets, Model(s): G2M, G4, GZU-11, GZU-8, PS-11, PZ-11, PZ-8, S2M, SU4

Solid State Relays, Model(s): <u>RSR52-240D80</u>, <u>RSR52-24A10</u>, <u>RSR52-24A25</u>, <u>RSR52-24A40</u>, <u>RSR52-24A60</u>, <u>RSR52-24A80</u>, <u>RSR52-24A80</u>, <u>RSR52-24A80</u>, <u>RSR52-24A80</u>, <u>RSR52-24D10</u>, <u>RSR52-24D10-R</u>, <u>RSR52-24D25</u>, <u>RSR52-24D25-R</u>, <u>RSR52-24D40</u>, <u>RSR52-24D40-R</u>, <u>RSR52-24D60</u>, <u>RSR52-24D60-R</u>, <u>RSR52-24D60-R</u>, <u>RSR52-24D60-R</u>, <u>RSR52-24D60-R</u>, <u>RSR52-24D60-R</u>, <u>RSR52-48A10</u>, <u>RSR52-48A25</u>, <u>RSR52-48A40</u>, <u>RSR52-48A60</u>, <u>RSR52-48A80</u>, <u>RSR52-48D10</u>, <u>RSR52-48D10R</u>, <u>RSR52-48D10R</u>, <u>RSR52-48D10R</u>, <u>RSR52-48D25</u>, <u>RSR5248D25-R</u>, <u>RSR52-48D40</u>, <u>RSR52-48D40-R</u>, <u>RSR52-48D60</u>, <u>RSR52-48D60-R</u>, <u>RSR52-48D80</u>, <u>RSR52-48D80-R</u>, <u>RSR52-60D40</u>, <u>RSR52-60D60</u>, <u>RSR52-60D60-R</u>, <u>RSR52-60D60-R</u>, <u>RSR52-60D80</u>, <u>RSR52-60D80-R</u>

Time relays, Model(s): <u>TR4N-115AC-11-M</u>, <u>TR4N-115AC-12-M</u>, <u>TR4N-115AC-14-M</u>, <u>TR4N-12AC/DC-11-M</u>, <u>TR4N-12AC/DC-12-M</u>, <u>TR4N-12AC/DC-14-M</u>, <u>TR4N-230AC-11-M</u>, <u>TR4N-230AC-12-M</u>, <u>TR4N-230AC-14-M</u>, <u>TR4N-24AC/DC-11-M</u>, <u>TR4N-24AC/DC-12-M</u>, <u>TR4N-24AC/DC-14-M</u>

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2024 UL LLC."